

# SCIENTIFIC SUPA-KILL

## ***SAFETY DATA SHEET***

<b>Name:</b>	<b>SUPA-KILL GRANULAR RAT AND MOUSE BAIT</b>	Page 1	Of 4
--------------	--	--------	------

**Hazards:** Primary -

Coumarin derivative pesticide.

**contains:** Bromadiolone. UN No:3027 Reg no: L 5198 act 36/1947

**Nature of Hazard:**

Extremely hazardous if swallowed and on prolonged skin contact. Accumulation of the toxin in the body possible. Significant skin absorption may occur over an extended period.

Symptoms develop after several hours or days.

**Description:**

Wheat grain, red in colour.

**Other Designations:**

Product is chemically a coumarin ( anticoagulant ) rodenticide based on 0,05 g/kg

**Manufacturer:**

Scientific Supa-Kill c.c.

P.O.Box 8020

Edleen

1625

Tel; (011) 394-3941/2

**Supplier:**

Scientific Supa-Kill c.c.

P.O.Box 8020

Edleen

1625

Tel; (011) 394-3941/2

---

**SUPA-KILL-** Registered Trade name.

## **EXPOSURE HAZARDS**

---

### **ACUTE SYMPTOMS**

#### **Skin Contact:**

Prevent contact with the skin. Significant absorption of the toxin through intact skin over an extended period; accumulation in the body may occur.

#### **Eye Contact:**

May be irritating to the eyes on contact causing redness, pain and blurred vision.

#### **Ingestion and overexposure:**

Avoid ingestion. Nausea and vomiting may occur soon after ingestion, but several hours/days may elapse before typical features of anticoagulant poisoning become evident; symptoms may include increased tendency to bleed, bruising, nose and gum bleeds, pallor, blood in the urine and faeces, haemorrhage into and around elbow and knee joints.

#### **Inhalation:**

Inhalation of the toxin in solution unlikely. Symptoms of anticoagulant poisoning may occur after hours/days.

### **FIRST AID TREATMENT**

Immediately remove contaminated clothing, rinse the affected skin area with plenty of water followed by soap and cool water or shower. DO NOT rub skin hard.

Immediately wash eyes with copious amounts of clean water for at least 15 minutes.

Keep patient calm and reassured, put patient in recovery position. Never give anything by mouth to an unconscious person. DO NOT apply direct mouth to mouth respiration, use a disposable protective mouthpiece. Transport patient to hospital or doctor immediately.

Remove patient from source of poisoning to well ventilated area and keep him quiet and reassured.

## **SEEK MEDICAL ADVICE PROMPTLY AND SHOW THIS SDS TO A MEDICAL PRACTITIONER**

**NOTE TO PHYSICIAN:** Antidote : Intravenous Vitamin K1, 50 to 150 mg on first day depending on prothrombin time and weight of patient. In severe cases, small transfusions of matched fresh blood may improve prothrombin levels. Keep under medical supervision until prothrombin times return to normal. Gastric lavage may be effective if performed within 4 hours of ingestion.

### **Toxicity:**

The product is an extremely hazardous anticoagulant rodenticide.  
For Bromadiolone the acute oral LD<sub>50</sub> to rats is 1.125 mg/kg  
Lethal dose for dogs is approximately 10 mg/kg of Bromadiolone, technical.

### **Toxicity to fish:**

For Bromadiolone, technical the LC<sub>50</sub> ( 96 hours ) for rainbow trout is 1.4 mg/l;  
for bluegill 1.3 mg/water l

## **PROTECTIVE EQUIPMENT AND CLOTHING IN AN EMERGENCY**

---

Nitrile rubber gloves, close fitting safety goggles or face shield, full length protective clothing, boots and effective respiratory protection must be worn when handling this material in an emergency.

## **FIRE AND EXPLOSION HAZARDS**

---

Personnel involved in a fire situation with this material should wear self-contained breathing apparatus as toxic fumes may be given off.

No unprotected person should be allowed in the vicinity.

Decomposes in a fire to emit toxic fumes of Br<sup>-</sup>.

Fire extinguishing agents to be used: Water fog; Dry chemicals; Foam.

## **SPILL AND LEAK PROCEDURES**

---

Sweep up and dispose of as for toxic waste in accordance with local/national regulations.

Protective clothing to be worn when clearing spillage.

## **STORAGE AND HANDLING PRECAUTIONS**

---

### **Storage:**

Store under lock and key, away from children and domestic animals. Store in a cool, dry place away from sources of heat. Store away from food, feedstuffs, eating utensils and drinking water.

### **Cleaning of equipment after use:**

Clean protective clothing, used protective clothing and the workers' personal clothing shall be kept apart. At the end of each day, all protective clothing and respirators shall be decontaminated, washed, rinsed and dried. Extra care must be taken when cleaning equipment after use.

**Handling Precautions:**

Wear rubber gloves and wash hands after handling. Avoid all contact by mouth. Contamination of food, feed, eating utensils and all sources of drinking water, rivers, dams, crops or grazing shall be prevented. Toxic to aquatic organisms, fish and wildlife. Bury all dead rodents and any bait not consumed at end of treatment.

**Disposal of Residue**

Residue may be disposed of as for toxic waste in accordance with local/national regulations.

**Disposal of Used Packaging Material**

Empty containers to be disposed of as for toxic waste in accordance with local/national regulations. DO NOT re-use for any other purpose.

**PHYSICAL DATA**

Description:	Wheat based, red in colour
Stability:	The product is stable under normal conditions and use.
Degradation:	slowly degraded in soil.